TUNGSRAM[™]

Innovation is our heritage EST. 1896





GE LED Start Decorative Filament LED4/B35FIL/827/E14/220-240V/ 1/10 DS

93051670

Product information

GE Lighting has over 135 years experience in lamp manufacturing and is taking things back to the beginning with the new LED Filament lamp designed to replace traditional incandescent lamps. Take all the advantages of GE's LED experience and combine it with our unique, aesthetic design, available in Candle and Spherical shaped bulbs to fulfill every need.

Application areas





Product data

Product Code	93051670
Bulb Shape	B35
Bulb Finish	clear
Bulb maximum overall diameter [mm]	35
Nominal Length [mm]	98
Net weight per piece [g]	20
Dimmability	No
RoHS compliant	Yes
Brand	GE Lighting
Cap/Base	E14

Performance data

Nominal/ Rated Beam Angle [°]	355
Colour consistency	6 steps
Rated Lumens [lm]	470
Weighted energy consumption [kWh/1000h]	4.0
Rated efficacy [lm/W]	117.5
Energy efficiency class (EEC)	A++
Rated life L70/B50 [h]	10000
Nominal correlated colour temperature (CCT) [K]]	2700
Nominal lumens [lm]	470
Colour Rendering Index (CRI) [Ra]	80

Electrical data

Nominal lamp power factor	>0.4
Rated power [W]	4.0
Operating Temperature (MIN) [°C]	-20
Operating Temperature (MAX) [°C]	40
Starting time (sec)	0.25
Number of switching cycles	20000
Nominal lamp voltage range [V]	220-240
Nominal power [W]	4.0

Logistic data

DUN Code	10064894559454
EAN Code	0064894559747
Pack Quantity	10
Inner pack type	Box
Outer pack type	Carton
Product status	Available

Downloads & Links Go to the catalog site (HTTP) Datasheet (PDF) Direct shipment (PDF) Images (HTTP) Lighting design tools & calculators (HTTP) Certificate for the Quality Management System of GE Lighting EMEA (PDF) Certificate for the Environmental Management System of GE Lighting EMEA (PDF)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.