



4
kWh/1000h

A+
energy class


71
lumens/watt

GU10 Start DS

LED Start GU10 3.5W(35) 830 35° DS
93069605

Product information

This new entry level range of highly competitive LED GU10 and R50 products consume only 3.5W and 5W respectively and offer a fantastic energy saving alternative to 50W and 35W Halogen GU10 lamps.



Product data

| | |
|------------------------------------|-------------|
| Product Code | 93069605 |
| Bulb Shape | PAR |
| Bulb Finish | White |
| Bulb maximum overall diameter [mm] | 50 |
| Nominal Length [mm] | 53 |
| Net weight per piece [g] | 29 |
| RoHS compliant | Yes |
| Brand | GE Lighting |
| Cap/Base | GU10 |

Performance data

| | |
|---|-------|
| Nominal/ Rated Beam Angle [°] | 35 |
| Nominal center beam candlepower (CBCP) [cd] | 450 |
| Rated Lumens [lm] | 240 |
| Weighted energy consumption [kWh/1000h] | 3.5 |
| Useful lumens (at 90° cone) [lm] | 240 |
| Rated efficacy [lm/W] | 71 |
| Energy efficiency class (EEC) | A+ |
| Rated life L70/B50 [h] | 15000 |
| Nominal correlated colour temperature (CCT) [K] | 3000 |
| Nominal lumens [lm] | 250 |
| Colour Rendering Index (CRI) [Ra] | 80 |

Electrical data

| | |
|--------------------------------|---------|
| Nominal lamp power factor... | 0.5 |
| Rated power [W] | 3.5 |
| Number of switching cycles | 50000 |
| Dimming Capability | No |
| Nominal lamp voltage range [V] | 220-240 |
| Nominal power [W] | 3.5 |

Logistic data

| | |
|-----------------|----------------|
| DUN Code | 20064894585559 |
| EAN Code | 0064894585555 |
| Pack Quantity | 8 |
| Inner pack type | Box |
| Product status | Available |

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Product datasheet \(PDF\)](#)

[Images \(HTTP\)](#)